



proxy prevent duplicate socket

- 2002

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 183 for proxy prevent duplicate socket with Safesearch on. (0.10 seconds)
[All articles](#) [Recent articles](#)
Protocol considerations for a prefix-caching proxy for multimedia streams - group of 11 »

S Gruber, J Rexford, A Bass - Computer Networks, 2000 - Elsevier

... the client does not have **duplicate** or missing ... proxy should incorporate mechanisms to prevent the transmission ... connection with the client, the proxy records the ...Cited by 31 - Related Articles - Web SearchTechniques to Improve TCP over Wireless Links - group of 2 »A Aaron, S Tsao - available in [http://www.stanford.edu/maaaron/ee359/](http://www.stanford.edu/amaaron/ee359/) ..., 2000 - stanford.edu... was more pronounced when the receiver **socket** buffer size ... need for a transport-level proxy in snoop ... of TCP semantics to prevent **duplicate** acknowledgments caused ...Cited by 1 - Related Articles - View as HTML - Web SearchHandoffs in Cellular Wireless Networks: The Daedalus Implementation and Experience - group of 9 »

S Seshan, H Balakrishnan, RH Katz - Wireless Personal Communications, 1997 - Springer

... the deletion of the associated proxy ARP entry .the decapsulator uses the ADD DECAP **socket** option to ... well in practice and helps prevent **duplicate** packets from ...Cited by 133 - Related Articles - Web Search - BL DirectNetwork support for mobile multimedia using a self-adaptive distributed proxy - group of 5 »

ZM Mao, HW So, B Kang - Proceedings of the 11th international workshop on Network ..., 2001 - portal.acm.org

... 4]. Two solutions, link layer retransmissions with TCP **duplicate-ack** suppression ...

performance using a split-connection approach by putting a proxy as close to ...

Cited by 8 - Related Articles - Web SearchAdvocating a Remote Socket Architecture for Internet Access Using Wireless LANs - group of 13 »

M Schläger, B Rathke, S Bodenstein, A Wolisz - Mobile Networks and Applications, 2001 - Springer

... systems. We call the proxy-server Export **Socket** Server. ... **socket**). A flow control mechanism is needed in order to prevent **socket** buffer overflow. ...Cited by 40 - Related Articles - Web Search - BL DirectMinimal TCP/IP implementation with proxy support - group of 4 »

A Dunkels - month, 2001 - sics.se

... the architecture and mechanisms of the proxy scheme. ... B is an implementation of the BSD **socket** API using ... the network, and is used to prevent packets circling ...Cited by 13 - Related Articles - View as HTML - Web SearchInfrastructure for intrusion detection and response - group of 2 »

D Schnakenberg, K Djahandari, D Sterne - DARPA Information Survivability Conference and Exposition, ..., 2000 - ieeexplore.ieee.org

... To help prevent flooding the IDIP network with ... a unique message identifying number, so **duplicate** messages are ... a firewall proxy will have different source ports ...Cited by 102 - Related Articles - Web SearchTCP for Wireless Networks - group of 3 »

A Natani, J Jakilinki, M Mohsin, V Sharma - Project Report, Univ. of Texas at Dallas, USA, 2001 - utdallas.edu

... the need for a transport level proxy, which must ... Hence, the delayed **duplicate** acknowledgments scheme may be ... This will prevent the sender from triggering slow ...Cited by 4 - Related Articles - View as HTML - Web SearchScalable and Reliable File Transfer for Clusters Using Multicast

HD Shukla - 2002 - etd-submit.letsu.edu

... Mechanisms to address the speed problem include receiver feedback, proxy servers, and transmitting ... prevent these queries from propagating outside the LAN. ...

Related Articles - View as HTML - Web SearchClient-transparent fault-tolerant Web service - group of 8 »

N Aghdaie, Y Tamir - Performance, Computing, and Communications, 2001, IEEE ..., 2001 - ieeexplore.ieee.org

... This can prevent the local LAN router from being ... but still sends ack, backup ignores **duplicate** ack but ... by a separate process, henceforth referred to as proxy. ...Cited by 23 - Related Articles - Web Search

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



Scholar

Results 1 - 10 of about 292 for proxy duplicate socket with Safesearch on. (0.09 seconds)[All articles](#) [Recent articles](#)[Structure and Encapsulation in Distributed Systems: The Proxy Principle - group of 4 »](#)

M Shapiro - Proceedings of the 6th International Conference on ..., 1986 - Inria.fr
 ... semantics of the data in a pipe or a **socket** is purely ... creates a new object which
 is a **duplicate** entry to myfile ... This is a **proxy** for the distributed name service ...
Cited by 238 - Related Articles - View as HTML - Web Search

[Protocol considerations for a prefix-caching proxy for multimedia streams - group of 11 »](#)

S Gruber, J Rexford, A Basso - Computer Networks, 2000 - Elsevier
 ... to the client does not have **duplicate** or missing ... a TCP connection with the client,
 the **proxy** records the ... IP address and the identifier for the TCP **socket** ...
Cited by 31 - Related Articles - Web Search

[Network support for mobile multimedia using a self-adaptive distributed proxy - group of 5 »](#)

ZM Mao, HW So, B Kang - Proceedings of the 11th international workshop on Network ..., 2001 - portal.acm.org
 ... 4). Two solutions, link layer retransmis- sions with TCP **duplicate-ack** suppression ...
 performance using a split-connection approach by putting a **proxy** as close to ...
Cited by 8 - Related Articles - Web Search

[Minimal TCP/IP implementation with proxy support - group of 4 »](#)

A Dunkels - month, 2001 - sics.se
 ... Chapter 3 presents the architecture and mechanisms of the **proxy** scheme. ... Appendix
 B is an implementation of the BSD socket API using the lwIP API. ...
Cited by 13 - Related Articles - View as HTML - Web Search

[Advocating a Remote Socket Architecture for Internet Access Using Wireless LANs - group of 13 »](#)

M Schläger, B Rathke, S Bodenstein, A Wolisz - Mobile Networks and Applications, 2001 - Springer
 ... This means that the base-station acts as a **proxy** for the wireless end-systems.
 We call the proxy-server Export Socket Server. The ...
Cited by 40 - Related Articles - Web Search - BL Direct

[SaTPEP: a TCP Performance Enhancing Proxy for Satellite Links - group of 5 »](#)

D Velenis, D Kalogerias, B Maglaris - PROC 2nd International IFIP-TC6 Networking Conference, Pisa ..., 2002 - Springer
 ... SaTPEP: A TCP Performance Enhancing Proxy for Satellite Links ... is released from the
 SaTPEP socket buffer to ... mode when the first **duplicate acknowledgement**, dupACK ...
Cited by 3 - Related Articles - Web Search - BL Direct

[Proxy-based recovery for applications on wireless hand-held devices - group of 4 »](#)

B Yao, WK Fuchs - Reliable Distributed Systems, 2000. SRDS-2000. Proceedings ..., 2000 - ieeexplore.ieee.org
 ... side since it involves not only **socket** establishment, but ... numbers to detect lost
 or **duplicate** messages ... However, **proxy** failures are equivalent to server failures ...
Cited by 11 - Related Articles - Web Search - BL Direct

[Design and Implementation of the VoIPv6 Supporting the Differentiated Call Processing - group of 2 »](#)

C Kim, B Choi, Y Kang, K Kim, S Han - Lecture Notes In Computer Science, 2002 - Springer
 ... the user location requests from the **Proxy** and Redirect ... Request Message Processing
 To avoid the **duplicate** message, the ... And it then generates a **socket** to send ...
Cited by 1 - Related Articles - Web Search

[\[BOOK\] Network Management for the 90s - group of 5 »](#)

L Deni - 1996 - sce.carleton.ca
 ... operation and returning the HTTP response over the same **socket** that is ... It does not
 make sense to **duplicate** part of the functionality of the **Proxy** on each ...
Cited by 15 - Related Articles - Cached - Web Search - Library Search

[Mapping home-network appliances to TCP/IP sockets using a three-tiered home gateway architecture](#)


PM Corcoran - Consumer Electronics, IEEE Transactions on, 1998 - ieeexplore.ieee.org
 ... Command-packets may also be written to the **socket** and these will effect
 changes in the **proxy** services implemented by SIOd. However ...
Cited by 20 - Related Articles - Web Search - BL Direct

Cooooooooooooo ogle ►
 1 2 3 4 5 6 7 8 9 10 [Next](#)

Result Page:

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



THE GUIDE TO COMPUTING LITERATURE

 [Feedback](#)
 [Report a problem](#)
 [Satisfaction survey](#)

Network support for mobile multimedia using a self-adaptive distributed proxy

Full text [Pdf \(213 KB\)](#)

Source International Workshop on Network and Operating System Support for Digital Audio and Video [archive](#)
 Proceedings of the 11th international workshop on Network and operating systems support for digital audio and video
 Port Jefferson, New York, United States
 Pages: 107 - 116
 Year of Publication: 2001
 ISBN:1-58113-370-7

Authors [Zhuoqing Morley Mao](#) University of California at Berkeley
[Hoi-sheung Wilson So](#) University of California at Berkeley
[Byunghoon Kang](#) University of California at Berkeley

Sponsors SIGCOMM: ACM Special Interest Group on Data Communication
 SIGMULTIMEDIA: ACM Special Interest Group on Multimedia
 SIGOPS: ACM Special Interest Group on Operating Systems
 ACM: Association for Computing Machinery

Publisher ACM Press New York, NY, USA

Additional Information: [abstract](#) [references](#) [citations](#) [index terms](#) [collaborative colleagues](#) [peer to peer](#)

Tools and Actions: [Find similar Articles](#) [Review this Article](#)
[Save this Article to a Binder](#) Display Formats: [BibTex](#) [EndNote](#) [ACM Ref](#)

DOI Bookmark: Use this link to bookmark this Article: <http://doi.acm.org/10.1145/378344.378360>
[What is a DOI?](#)

▲ ABSTRACT

Recent advancements in video and audio codec technologies~(e.g., RealV video [18] make multimedia streaming possible across a wide range of network conditions. With an increasing trend of ubiquitous connectivity, more and more areas have overlapping coverage of multiple wired and wireless networks. Because the best network service changes as the user moves, to provide good multimedia application performance, the service needs to adapt to user movement as well as network and computational resource variations. For wireless multimedia applications, one must ensure smooth transitions when network connectivity changes. We argue that network adaptations for multimedia applications should be provided at the application layer with help from proxies in the network. The reasons are ease of programming, ease of deployment, better fault-tolerance, and greater scalability. We propose a self-adaptive distributed proxy system that provides streaming multimedia service to mobile wireless clients. Our system intelligently adapts to the real-time network variations and hides handoff artifacts using application protocol specific knowledge whenever possible. It also uses application-independent techniques such as dynamic relocation of transcoders and automatic insertion of forward error correction and compression into the data transcoding path. We advocate a composable, relocatable transcoding data path consisting of a directed acyclic graph of strongly-typed operators to bridge any data format mismatch between the client and the data source. In this paper, we present the design, implementation, and evaluation of our system in the context of streaming video playback involving a series of transcoding proxies and a mobile client.

▲ REFERENCES

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

- 1 ISO/IEC 11172-1 11172-2 11172-3 11172-4 11172-5 Information technology - Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s Part 1 to Part 5.
- 2 ITU-T Recommendation H.263+.
- 3 C. P. A. Myles, D. B. Johnson. A mobile host protocol supporting route optimization and authentication. IEEE Journal of Selected Areas in Communication, 13(5):839-849, June 1995.
- 4 Hari Balakrishnan , Venkata N. Padmanabhan , Srinivasan Seshan , Randy H. Katz, A comparison of mechanisms for improving TCP performance over wireless links, IEEE/ACM Transactions on Networking (TON), v.5 n.6, p.756-769, Dec. 1997
- 5 J. Bolot, S. Fosse-Parisis, and D. Towsley. Adaptive fec-based error control for internet telephony. In Proc. of IEEE INFOCOM'99, pages 1453-1460, March 1999.
- 6 J.-C. Bolot and A. Vega-Garcia. The case for FEC-based error control for packet audio in the Internet. ACM Multimedia Systems, 1997.
- 7 Berkeley Multimedia Research Center. <http://bmrc.berkeley.edu/frame/research/mpeg>.
- 8 D. D. Clark , D. L. Tennenhouse, Architectural considerations for a new generation of protocols, Proceedings of the ACM symposium on Communications architectures & protocols, p.200-208, September 26-28, 1990, Philadelphia, Pennsylvania, United States
- 9 Steven E. Czerwinski , Ben Y. Zhao , Todd D. Hodes , Anthony D. Joseph , Randy H. Katz, An architecture for a secure service discovery service, Proceedings of the 5th annual ACM/IEEE international conference on Mobile computing and networking, p.24-35, August 15-19, 1999, Seattle, Washington, United States

- 10 H. S. et al. Rtsp: Real time stream protocol. RFC 2326, April 1998.
- 11 S. D. G. et. al. The MultiSpace: an Evolutionary Platform for Infrastructural Services. In Usenix Annual Technical Conference, June, 1999, Monterey, CA.
- 12 Armando Fox , Steven D. Gribble , Yatin Chawathe , Eric A. Brewer , Paul Gauthier, Cluster-based scalable network services, Proceedings of the sixteenth ACM symposium on Operating systems principles, p.78-91, October 05-08, 1997, Saint Malo, France
- 13 S. D. Gribble, E. A. Brewer, J. M. Hellerstein, and D. Culler. Scalable, Distributed Data Structures for Internet Service Construction. In Proceedings of OSDI 2000.
- 14 D. Maltx and P. Bhagwat. Msocks: An architecture for transparent layer mobility. In IEEE Infocom '98, March 1998.
- 15 Z. M. Mao and R. H. Katz. Achieving service portability in iceberg. In Proceedings of IEEE GlobeCom 2000, Workshop on Service Portability, March 2000.
- 16 C. Perkins. IP mobility support. Technical Report Internet Draft, 1994.
- 17 M. Podolsky, C. Romer, and S. McCanne. Simulation of fec-based error control for packet audio on the internet. In Proc. of IEEE Infocom'98, San Francisco, CA, March 1998.
- 18 Real.com. Working with RealProducer 8 codecs, June 28, 2000.
- 19 P. Reiher, M. Y. R. Guy, and A. Rudenko. Automated planning for open architectures. In Openarch 2000 short paper, March 2000.
- 20 Srinivasan Seshan, Low-Latency Handoff for Cellular Data Networks, University of California at Berkeley, Berkeley, CA, 1996
- 21 Alex C. Snoeren , Hari Balakrishnan, An end-to-end approach to host mobility, Proceedings of the 6th annual international conference on Mobile computing and networking, p.155-166, August 06-11, 2000, Boston, Massachusetts, United States
- 22 Alex C. Snoeren , Hari Balakrishnan, An end-to-end approach to host mobility, Proceedings of the 6th annual international conference on Mobile computing and networking, p.155-166, August 06-11, 2000, Boston, Massachusetts, United States
- 23 M. Stemm and R. H. Katz. Vertical handoffs in wireless overlay networks. ACM Mobile Networking (MONET), Special Issue on Mobile Networking in the Internet, winter 1998.
- 24 P. Sudame and B. R. Badrinarayanan. Transformer tunnels: A framework for providing route-specific adaptations. In Proc. of the USENIX Technical Conf., 1998.
- 25 W. Tan and A. Zakhor. Multicast transmission of scalable video using receiver-driven hierarchical fec. In Proc. Packet Video'99, New York, April 1999.
- 26 S. M. Weiss. Switching facilities in mpeg-2: Necessary but not sufficient. In Proceedings SMPTE Advanced Television and Electronic Imaging Conference, San Francisco, CA, pages 44-70, February 1995.
- 27 Rich Wolski , Neil T. Spring , Jim Hayes, The network weather service: a distributed resource performance forecasting service for metacomputing, Future Generation Computer Systems, v.15 n.5-6, p.757-768, Oct. 1999
- 28 M. Yarvis, A.-I. A. Wang, A. Rudenko, P. Reiher, and G. J. Popek. Conductor: Distributed adaptation for complex networks. Technical Report UCLA Technical Report: CSD-TR990042, 1999.

↑ CITINGS

Michael K. Bradshaw , Jim Kurose , Prashant Shenoy , Don Towsley, Online scheduling in modular multimedia systems with stream reuse, Proceedings of the international workshop on Network and operating systems support for digital audio and video, June 13-14, 2005, Stevenson, Washington, USA

↑ INDEX TERMS

Primary Classification:

C. Computer Systems Organization
 ↳ C.2 COMPUTER-COMMUNICATION NETWORKS

Additional Classification:

C. Computer Systems Organization
 ↳ C.2 COMPUTER-COMMUNICATION NETWORKS

General Terms:

Experimentation, Security

↑ Collaborative Colleagues:

<u>Byunghoon Kang:</u>	Zhuoqing Morley Mao Hoi-sheung Wilson So	Anthony D. Joseph Byunghoon Kang Randy H. Katz Kevin Lai Li (Erran) Li	Jennifer Rexford Timothy Roscoe Mukund Seshadri Jimmy S. Shih Keith Sklower Hoi-sheung Wilson So	Takashi Suzuki George Varghese Jia Wang Shelley Zhuang
<u>Zhuoqing Morley Mao:</u>	Sharad Agarwal Matthew Caesar Yan Chen Charles D. Cranor Weidong Cui Fred Douglis			

[Nick Feamster](#)
[Ramesh Govindan](#)
[Ningning Hu](#)
[Per Johansson](#)

[Sridhar Machiraju](#) [Oliver Spatscheck](#)
[George Porter](#) [Peter Steenkiste](#)
[Michael Rabinovich](#) [Ion Stoica](#)
[Bhaskaran Raman](#) [Lakshminarayanan Subramanian](#)

[Hoi-sheung Wilson So](#): [Byunghoon Kang](#)
[Zhuoqing Morley Mao](#)

↑ **Peer to Peer - Readers of this Article have also read:**

- [Data structures for quadtree approximation and compression](#) **Communications of the ACM** 28, 9
Hanan Samet
- [A hierarchical single-key-lock access control using the Chinese remainder theorem](#) **Proceedings of the 1992 ACM/SIGAPP Symposium on Applied computing**
Kim S. Lee , Huizhu Lu , D. D. Fisher
- [The GemStone object database management system](#) **Communications of the ACM** 34, 10
Paul Butterworth , Allen Otis , Jacob Stein
- [Putting innovation to work: adoption strategies for multimedia communication systems](#) **Communications of the ACM** 34, 12
Ellen Francik , Susan Ehrlich Rudman , Donna Cooper , Stephen Levine
- [An intelligent component database for behavioral synthesis](#) **Proceedings of the 27th ACM/IEEE conference on Design automation**
Gwo-Dong Chen , Daniel D. Gajski

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



proxy ack

- 2002

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
ScholarResults 1 - 10 of about 449 for proxy response duplicate negotiation with Safesearch on. (2.76 seconds)
[All articles](#) [Recent articles](#)
Optimizing Response Time, Rather than Hit Rates, of WWW Proxy Caches - group of 6 »

RP Wooster - 1996 - scholar.lib.vt.edu

... connection negotiation. ... may not yield the optimal response time. ... which may, in some instances, be retrieved faster from the origin server than from the proxy ...

Cited by 17 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

What's wrong with HTTP (and why it doesn't matter) - group of 12 »

JC Mogul - Invited talk at the Usenix Technical Conference, June, 1999 - usenix.org

... Content negotiation • Cookies & other social issues Page 14. ... 3. Proxy P receives server's response for R • Forwards response to A ...

Cited by 3 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Intelligent caching for World-Wide Web objects - group of 9 »

D Wessels - 1995 - isoc.org

... that about 13% of all NSFNET backbone traffic was due to duplicate file transfers ...

We can verify whether or not the proxy improves user response time by ...

Cited by 75 - [Related Articles](#) - [Cached](#) - [Web Search](#) - [Library Search](#)

On defining a role for demand-driven surrogate origin servers - group of 9 »

M Nottingham - Computer Communications, 2001 - Elsevier

... may set a complimentary Expires: value, to duplicate the intended ... as more critical than in a proxy/cache ... mechanisms such as the Content-MD5 response header, and ...

Cited by 6 - [Related Articles](#) - [Web Search](#)

Payment Method Negotiation Service - group of 2 »

A Bahreman, R Narayanaswamy - The Second USENIX Workshop on Electronic Commerce ..., 1996 - usenix.org

... or destroy an online account, and an account proxy. ... if it supports a particular extension; the response comes back ... it is used to avoid duplicate processing by ...

Cited by 2 - [Related Articles](#) - [Web Search](#)

Network support for mobile multimedia using a self-adaptive distributed proxy - group of 5 »

ZM Mao, HW So, B Kang - Proceedings of the 11th international workshop on Network ..., 2001 - portal.acm.org

... layer retransmissions with TCP duplicate-ack suppression ... increasing network distance between the client and proxy. ... Table 5.2 shows that the response time for ...

Cited by 8 - [Related Articles](#) - [Web Search](#)

An Implementation Of The Internet Call Waiting Service Using SIP - group of 6 »

IE del Pozo - Espoo, Finland, December, 1999 - tct.hut.fi

... This next server could be any kind of SIP server and the proxy does not need to know the type of the ... Those will be traversed in reverse order by the response. ...

Cited by 4 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

A Peer-to-peer Intermediary for Building Enterprise-class Web Services

O Hasan, BW Char - 2002 - cs.drexel.edu

... The proxies Web Service Proxy Client Enterprise ... platforms. Web Services technology has been developed as a response to these needs. The ...

Cited by 1 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Evolution or Revolution - group of 3 »

M Colan - A Technical Overview of Web Services, at http://ibm. com/ ..., 2001 - cli.sba.uwm.edu

... TPA Service negotiation Security / P ... Service(s) SOAP request/response messages

WSDL Element relationships ... Service Proxy Service Implementation Template ...

Cited by 2 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Dynamic network-based secure VPN deployment in GPRS - group of 4 »

C Xenakis, L Merakos - Personal, Indoor and Mobile Radio Communications, 2002. The ..., 2002 - ieeexplore.ieee.org

... Thus, the IKE protocol is operational in a proxy-based scheme ... To initiate the IPsec

SA negotiation (see Fig. ... pair, as well as its ISAKMP SA response, the DH half ...

Cited by 3 - [Related Articles](#) - [Web Search](#)

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



proxy ack

- 2002

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 1,360 for **proxy ack** with Safesearch on. (0.05 seconds)
[All articles](#) [Recent articles](#)
Mocha: a quality adaptive multimedia proxy cache for internet streaming - group of 9 »

R Rejaie, J Kangasharju - Proceedings of the 11th International workshop on Network ..., 2001 - portal.acm.org
 ... Ó ÜÜÐØÝ ÓÓ ×ØÓN× × Ó Ü ÑÓ×ÓÓ Ó ×Ó C1 C2 Proxy Server C3 ... RTSP Client Internet

Ack Ack Ack data RTP Pkt RTP Pkt RTSP Server ...

Cited by 58 - Related Articles - Web Search

[ps] TCP splicing for application layer proxy performance - group of 4 »

D Maltz, P Bhagwat - IBM Research Report RC, 1998 - thefengs.com
 ... The proxy assumes any packets it receives after the DONT ACK mode is set
 on socket D are intended to be relayed to the client. It ...
 Cited by 64 - Related Articles - View as HTML - Web Search

An active proxy based architecture for TCP in heterogeneous variable bandwidth networks - group of 9 »

D Dutta, Y Zhang - Global Telecommunications Conference, 2001. GLOBECOM'01. ..., 2001 - ieeexplore.ieee.org
 An Active Proxy Based Architecture for TCP in ... lies in the TCP's end-to-end congestion
 control model [3]. Standard TCP uses the timing of ACK packets to ...
 Cited by 20 - Related Articles - Web Search - BL Direct

... flows over IEEE 802.11 b wireless local areanetworks: a performance-enhancing proxy based on forward ... - group of 4 »

L Munoz, M Garcia, J Choque, R Aguero, P Mahonen - Communications Magazine, IEEE, 2001 - ieeexplore.ieee.org
 ... Magazine December 2001 61 duece a generic performance enhancement proxy (PEP) structure ...
 initiate the transmission of an acknowledgement frame (ACK) after a ...
 Cited by 28 - Related Articles - Web Search - BL Direct

Web proxy caching: the devil is in the details - group of 27 »

R Cáceres, F Dougis, A Feldmann, G Glass, M ... - ACM SIGMETRICS Performance Evaluation Review, 1998 - portal.acm.org
 ... entail. By default, the proxy and servers send 1500-byte packets (the most
 common packet size besides 40-byte ACK packets). Packets ...
 Cited by 122 - Related Articles - Web Search - BL Direct

Protocol considerations for video prefix-caching proxy in wide areanetworks - group of 3 »

H Lim, DHC Du - Electronics Letters, 2001 - ieeexplore.ieee.org
 ... systems, the round-trip time for TCP connection between the proxy and the server
 may not be negligible because the proxy and server ... SYN(pSEQ), ACK(CSEQ+ 1) ...
 Cited by 2 - Related Articles - Web Search - BL Direct

Wireless TCP proposals with proxy servers in the GPRS network - group of 7 »

J Rendon, F Casadevall, J Carrasco - Personal, Indoor and Mobile Radio Communications, 2002. The ..., 2002 - ieeexplore.ieee.org
 ... work well, enough time is required for the Snoop agent, located at the proxy, to realize that a packet is lost, retransmit it and obtain the corresponding ACK. ...
 Cited by 4 - Related Articles - Web Search

Service opportunities for Next Generation Networks - group of 5 »

A Andreetto, CA Licciardi, P Falcarin - Proceedings of the Eurescom Summit, 2001 - exp.telecomitalialab.com
 ... both an ACK to the Susan's PC client and the answer with the information related
 to the PC to the SIP-MG; the SIP-MG sends an ACK to the SIP Proxy/AS; At ...
 Cited by 2 - Related Articles - View as HTML - Web Search

Performance of Web proxy caching in heterogeneous bandwidth environments - group of 3 »

A Feldmann, R Cáceres, F Dougis, G Glass, M ... - INFOCOM'99. Eighteenth Annual Joint Conference of the IEEE ..., 1999 - ieeexplore.ieee.org
 ... entail. By default, the proxy and servers send 1500-byte packets (the most
 common packet size besides 40-byte ACK packets). Packets ...
 Cited by 148 - Related Articles - Web Search - BL Direct

Incorporating proxy services into wide area cellular IP networks - group of 10 »

Z Jiang, LF Chang, BJJ Kim, KK Leung - Wireless Communications and Mobile Computing, 2001 - doi.wiley.com
 ... 2001; 1:299–312 (DOI: 10.1002/wcm.20) Incorporating proxy services into wide area
 cellular IP ... KEY WORDS proxy location GPRS placement performance enhancing ...
 Cited by 7 - Related Articles - Web Search

Gooooooooogle ►
 1 2 3 4 5 6 7 8 9 10 [Next](#)
 Result Page:

proxy ack

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



Scholar

Results 1 - 10 of about 307 for proxy ack socket with Safesearch on. (0.11 seconds)[All articles](#) [Recent articles](#)

(ps) TCP splicing for application layer proxy performance - group of 4 »
 D Maltz, P Bhagwat - IBM Research Report RC, 1998 - thefengs.com
 ... The proxy assumes any packets it receives after the DONT ACK mode is set
 on socket D are intended to be relayed to the client. It ...
 Cited by 64 - Related Articles - View as HTML - Web Search

Approaches for a Web-based Initiation of Quality-based Communication - group of 6 »
 M Doll - Dagstuhl Seminar 02441 on "Quality of Service in Networks, 2002 - lbr.cs.tu-bs.de
 ... SrvEstRsp SSO Down, Handle=S1 U2U: SSO Up, Handle=C1 ACK Stream Data ... Application
 specific proxy not general Watch client's socket(s) ...
 Cited by 1 - Related Articles - View as HTML - Web Search

TCP Splice for application layer proxy performance - group of 3 »
 DA Maltz - Journal of High Speed Networks, 1999 - IOS Press
 ... When an ACK of the OK message is received, the ... can be certain all the data the proxy
 wrote to the ... The splice code then frees any socket buffers associated with ...
 Cited by 1 - Related Articles - Web Search - BL Direct

Design and Performance of a Web Server Accelerator - group of 12 »
 E Levy-Abeagnoli, A Iyengar, J Song, D Dias - Proceedings of Infocom, 1999 - ieee-infocom.org
 ... the event of a cache miss because the accelerator must now function as a proxy for
 ... TCP finds tcb, processes PUSH, ACK TCP calls socket interface with ...
 Cited by 65 - Related Articles - View as HTML - Web Search - Library Search - BL Direct

(ps) Supporting Transparent Caching with Standard Proxy Caches - group of 9 »
 A Cohen, S Rangarajan, N Singh - Proceedings of the 4th International Web Caching Workshop, 1999 - workshop.ircache.net
 ... the gateway programs and uses a raw IP socket to send ... On the reverse path the ACK
 SYN packets and the subsequent ... that go from the proxy back to the client are ...
 Cited by 10 - Related Articles - View as HTML - Web Search

Minimal TCP/IP implementation with proxy support - group of 4 »
 A Dunkels - month, 2001 - sics.se
 ... the architecture and mechanisms of the proxy scheme. ... B is an implementation of the
 BSD socket API using ... for each received segment the receiver produces an ACK. ...
 Cited by 13 - Related Articles - View as HTML - Web Search

A Content Aware Scheduling System for Network Services in Linux Clusters - group of 2 »
 Y Lu, H Jin, H Jiang, Z Han - Proceedings of The 6th International Conference/Exhibition ..., 2002 - cse.unl.edu
 ... space include a network router solution [4], Reverse-proxy [9], SWEB [5 ... 1], the server
 TCP responses with a SYN-ACK TCP packet, creates a socket for the ...
 Cited by 1 - Related Articles - View as HTML - Web Search

SaTPEP: a TCP Performance Enhancing Proxy for Satellite Links - group of 5 »
 D Velenis, D Kalogerias, B Maglaris - PROC 2nd International IFIP-TC6 Networking Conference, Pisa ..., 2002 - Springer
 ... to 1. On receipt of the SYN-ACK segment, rwnd ... SaTPEP: A TCP Performance Enhancing
 Proxy for Satellite Links ... that is released from the SaTPEP socket buffer to ...
 Cited by 3 - Related Articles - Web Search - BL Direct

Proxy-based recovery for applications on wireless hand-held devices - group of 4 »
 B Yao, WK Fuchs - Reliable Distributed Systems, 2000. SRDS-2000. Proceedings ..., 2000 - ieeexplore.ieee.org
 ... Client reconnection can be an expensive operation at the server side since it
 involves not only socket establishment, but also ... 1.3. Proxy-based Recovery ...
 Cited by 11 - Related Articles - Web Search - BL Direct

Advocating a Remote Socket Architecture for Internet Access Using Wireless LANs - group of 13 »
 M Schlüter, B Rathke, S Bodenstein, A Wolisz - Mobile Networks and Applications, 2001 - Springer
 ... version of TCP or to follow the flavour of a proxy approach is ... TCP add-ons (eg, SACK
 [28], ECN [18], partial ACK [8,33] ... ADVOCATING A REMOTE SOCKET ARCHITECTURE ...
 Cited by 40 - Related Articles - Web Search - BL Direct

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

proxy ack socket

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google